


Township / Range Lines:

South line of Township 2S in Ranges 1E to 6E



Indiana Historical Land Survey Documents project - LW & CJH, 2021
Surveyed: 8/1805

(3)

East & West line

Run by M Bent.

South Boundaries
of Townships N.^o 2 South
in Ranges from 1 to 6^E inclusive

Recorded

Jan'y. 13. 1848,

J. E. Hyde.

Indian Territory
Sunday Aug 14th 1905 Beyond Base

S. W.
Line at Corner of Township
4.2 S of Base Line & ~~S~~
N. W. corner of T3 S of B line
in Range 4.1 East of meridian
established W. Buckingham
variation of the needle $\pm 5.50^\circ$
East

7.11 - to line sugar tree 4 In N.

8.50 to " Buck - 9 - -

24.50 to run S ~~W~~ 25 links wide

33.00 to same run 30 links S. E

40 in set $\frac{1}{4}$ S post

Buck 15 In N. S 30 E 10 L

N - 12 " " S 15 W 36 L

58.00 to run corner S 50 links wide

80.00 to run 60 links over S.

set post corner S 31 & 32 on S
boundary of T 2 S in the run
W. Walnut 15 In N. S 15 W 25 links

Buckeye & In N. S 80 E 70 links

rich hill land timber poplar

Buck sugar tree Ash & Oak

spice bush under growth and

fine water

East

over Bottom

2

9.50

to run 50 L wide corner East
up run course S of E

11.00

35.50

to run 50 links course S of E

40.00

to Buck 4 In d. $\frac{1}{4}$ S port

Sugar tree 6 In d. N 10 E 8 links
Aug. 18th at night

Aug. 19

East

59.50

to run 50 links over course N
sec. port S E corner S 32 W 10
corner S 33. T 2 S R 1 E

80.00

Buck 15 In d. N 15 W 10 links
do 18 " " S 25 E 42 "

good hill land some bottom
on the run - Buck timber
3 pice under growth

East

18.10

to line Gun 12 In d.

40.00

set $\frac{1}{4}$ S port

Buck 9 In d. N 70 E 9 links

W Oak 20 In d. N 70 W 20
down a run bottom

76.50

80.00

set port S E corner S 33 W 10
S 34 E 2 S R 1 E

Buck 30 In d. N 67 E 18 links

do 7 In d. N 54 W 20 links

3

this last mill is good land and
level. timber Buck Sugartree
gum Oak & poplar —

East

spice under growth —

850

on S boundary of S34 in T2 S R12
to run 50 links corner on S

1865

to line W Ash 6 in d.

40 in

set $\frac{1}{4}$ S post W O 14 in S36 W 13 L
B O 18 in S48 E 16 L

80 in

set post corner S34 & 35 on S boundary
of T2 S R12

W O 15 in d. S75 W 33 L

W O 30 in d. S45 W 31 L

thin soil Oak timber no undergrowth

East

on S boundary of S35

20 in

to line W O 5 in d.

10 in

set $\frac{1}{4}$ S post

B O 20 in d. S75 E 20 L

W O 15 in d. S55 W 24 L

4850

W Oak line tree 15 in d.

7320

to line Poplar 40 in d.

80 in

set post corner S35. S36 on Base
Line S boundary

Poplar 18 in d. S50 E 15 links

hickory 12 in d. S4 W 50 links

good level land no water
timber Oak hickory & poplar

no under growth —

East on Base line S boundary of S36 T2 S4
 35.25 to line B0 30 h.d.
 40 " to log wood & S post 5 h.d.
 Hickory 24 h.d. South 7 links
 71.28 to line B0. 30 h.d.
 80.00 set Post S E corner T2 S R1 E
 & S E corner T3 S R1 E and
 S W corner T3 S R2 E and
 S W corner T2 S R2 East
 from which a Poplar ^{10² h.d.} bears S 40 E 39
 10 h.d. B Oak, ^{10² h.d.} S 42 W 47 links
 level Land thin soil Oak
 timber

Aug 24

West on Base Line between Town 28 &
 South in Range 2 East.

4.20 to line B0 - 24 h.
 7.15 " " W0 - 15 "
 7.25 " " W0 - 13 "
 11.55 " " W0 - 15 "
 40.00 set S post from which a
 W0. 24 h.d. S 37 E - 31 links
 Dog 7 h South 13 links
 48 " to run 30 links S 20 E

80 - set post corner S31432 on S bound-
ary of T.2. S. in R.2 E.

W.O. 15 In dr N30W 26 links
Hickory 6 In dr S35E 10 links

East 30 ch run Bottom the rest hill
land good Soil Oak & Hickory timber

East continues the Base line on S boundary
of S32 in T.2. S. R.2 E.

5.00 to small run SE

27.20 to run stink SE

32.00 to dr. small S.

40 - set $\frac{1}{4}$ S post from which a
Hickory S45W 21 links 7 In dr.
Gum 18 In dr S5W 31 links

50.20 to run small north

80 - to W.O. 5 In dr. corner S32433 on S bound-
ary of T.2. S. in R.2 E. W.O. 8 In dr S11E 24
thin soil Oak timber

East on S boundary S33

20.50 to run south small

40 - set $\frac{1}{4}$ S post

W.O. 13 S 60 E 8 links

Box 7 S 80 W 23 "

45.45 to B Oak 20 In dr. in line

49 - to run small SE

64.50 to W.O. " SW

80 - set post corner S33434 on S

W.O. 12 In S 70 W 15 links

Gum 13 S 78 E 28 "

hill land Oak timber generally
thin soil

East on S side S 34

3.50 to small run S E

17.40 to hickory 7 In. d. in line

40 " set $\frac{1}{4}$ S post

Gum 7 In. d. S 60 W 12 links

W.O. 10 " " S 70 W 25 "

80 "

set post corner S 24 & 35 on S corner

N.O. 20 In. d. north 10 links

Box 4 In. d. S 80 W 8 links

rough hill Land Oak timber no water

East on south side S 35

3.30 to line hickory 15 In

40 " set $\frac{1}{4}$ S post
Walnut 15 In. d. S 30 W 45 links

Mulberry 7 In. d. S 40 W 29 "

54 " to line sug. 15 In

80 " set post corner S 34 & 35

N.O. 18 In. d. S 60 E 10 links

Hickory 9 In. d. S 35 W 25 links

rough hills good soil Oak Bush

Sug. Spr. under

East on S side S 36

8.00 to Big blue river corner S.W.

10.50 to East Bank

the line crosses at the head a fall in
the river of about 4 or 5 feet in

10.50 to a short bend in the river below which
renders it a good mill seat.

40. " to Box $\frac{1}{4}$ S corner

N.O. 5 In. south 50 links

80 --
7

set Post corner Town 2 & 3 in R 2
and Town 2 & 3 in R. 3. 1. and S. E. corner
S 36 in T. 2. R. 2. & S W corner S 31 in T. 2. R. 3.
W. O. 15 in W. & 20 W 43 L
B. O. 15 in W. S 50 E 15 L
first 1/2 rough hills the last 1/2
timber Oak Poplar B W Walnut &c
good land on the W side for the last 1/2

East -
1. 65
2. 90
30. 10
40 in
54 00
80 in

between Town 2 & 3 in R. 3
to line W. O. 8 in
do do do 6 in
to line Poplar 46 in
set 1/4 S post
Hickory 18 in North to link
W. O. 30 in S 50 E 35 link
to Poplar 30 in W. in line
set Post corner S 31 & 32 in T. 2. S. R. 3. E.
on S boundary -
B. O. 30 in W. S 45 W 43 L
B. O. 17 in W. S 17 E 30 L
good hill land timber poplar Oak
& hickory -

East -
40 in
80 -

Side S 92
set 1/4 S post
B. O. 9 in S. 40. W 7 link
B. O. 6 in S. 10 E 10 "
set Post corner S 32 & 33 T. 2. R. 3
W. O. 10 in W. South 10 L
Hickory 9 in & 40 W 8 L links
Barren Land some oak timber
no water

East on side S 33 in S 2. N 3.

40 - set $\frac{1}{4}$ S Port 160 - or 20 W 14 L - 12 in
120 S 20 W 8 L - 8 in

80 - set port corner S 33 x 34 S 2. N 3

Hickory 9 in S 45 W 30 links

or - 8 in S 85 E. 114 links

Banians - hazle brush

East on S side S 34

40 - set $\frac{1}{4}$ S Port Hickory 13 in or 20 W 14 L
or 9 in S 30 W 48 L

79-40 to Hickory 20 in

80 - set Port corner S 34 x 35 on S corner

130 13 in or S 82 W 20 L links

Hickory 20 in S 15 W 20 L links

thin soil Oak timber - open

East on S side S 35

40 - set $\frac{1}{4}$ S Port in Banian

Hickory 5 in North 100 links

no other bearing trees

80 - set Port corner S 35 x 36

Hickory 5 in or 20 S 21 L

or 9 in S 55 W 20 L

principally Banian covered with hazle

Some grasses of Oak open wood

East on S side S36

- 9 40 - to B.O. 8th d^r serves for $\frac{1}{2}$ S corner
 Hickory 5th d^r. N 45 W 10 links
 46 44 to Hickory 12th d^r in the line
 80 - set Post corner. S 2 & 3 in R 3 & S 2 & 3
 in R 4 - S E corner S 36 in S 2 &
 S E corner S 1 in S 3. R 3 - and S W corner
 S 31 & S W corner S 6 in S 3. R 4 -
 W Oak 10th d^r. North 18 links
 d^r 11th d^r. S 45 E 16
 thin soil Oak timber & Hazle under

- East. between S 2 & 3 R 4 - 60th d^r to line W 7th d^r.
 40 - set $\frac{1}{4}$ S Post - Hickory 5th d^r. North 6
 d^r - S 5 W 16th d^r.
 80 - set post corner S 31 & 32
 W O 15th d^r. N 80 W 40
 B.O. 14th d^r. S 80 E 30th d^r.
 poor Land Oak timber brush
 and briars

East on S side S32

- 25.50 to Creek supposed to be Indian Creek
 corner S W 30 links over good water
 40 - set $\frac{1}{4}$ S Post Bush 20th d^r. N 45 E 25th d^r.
 W - 5th d^r. S 15 E 15th d^r.
 68.50 to Creek corner South 75 links over
 80 - set Post corner S 32 & 33 in S 2 R 4
 Bush 7th d^r. N 45 E 28 links
 S 32 4th d^r South 13th d^r.
 good Land Bush poplar & Oak timber
 rather rough hills

East on S side S 33.

10

5.66 to line Bush 12 h

13. " to Creek again. S & 80 links over

24. " to " S & 100 links over

40. " set $\frac{1}{4}$ S post Bush 4 h. S 10 W 18 L
" 12 " North 40 h

42.50 to line Bush 30 h

80. " set Port corner S 33 & 34

Bush 40 h. S 85 W 43 L

" ~~S 36~~ h. S 60 E 54 L

good land Bush Bottom

Spur under

East on S side S 34

250. to line Bush 40 h

26.50 to run S W 15 links

39.75 to run West 15 "

40. " to Bush 10 h. S $\frac{1}{2}$ S corner

Elm 12 h. S 50 E 14 links

46. " to run small corner S

80. " set Port corner S 34 & 35

Bush 10 h. S 85 E 14 L

" S 33 W 14 links

Bush Bottom. spine Bush under

East on S side S35
 " 60 to line Buck 12 in
 5 " to run small corner
 40 " to $\frac{1}{4}$ S post Buck 24 in at. S80 W82
 at. 18 " S75 E 43 L
 43 " to line Buck 12 in
 44-40 to " Ash 20 in
 52-80 to small run north
 60 " to at. at. - north
 80 " set post corner S35 E36
 with Ash 40 in at. South 1 link
 Buck 10 in at. S10 W23 "
 excellent Land Buck Poplar and
 Hickory timber - spire under gth

East on S side S36
 40 " set $\frac{1}{4}$ S Post Buck 7 in at. S55 W102
 Poplar 24 in at. S60 E122
 70-20 to line Poplar 24 in
 80 " set Post corner S2 E3 in R4 and
 S2 E3 in R5 - and S.E.S.36 in R2
 R4 & ~~SW~~ S E corner S1 in R3 in R4
 & S W corner S31 in R2 & S W corner S
 6 in R3 in Range 5 -
 Hickory 5 in at. S84 E20 L
 at. 12 " " S80 W18 L
 excellent Land timber Poplar
 Buck Hickory

East between 52 & 3 in R 5

320 - to line 30-15 h

6.50 to line 30-5 h

31 - to run NW 20 L

40 - set $\frac{1}{4}$ S Port

Bush 12 h N 35 E 18 L

Gum 40 h S 45 W 22

62 - to small run north

80 - set Port corner S 31 & 32 T. R. 5

Sasapras - 4 h N 45 W 26 L

Poplar - 5 " " S 55 E 5 L

good land timber Poplar Bush & Oak

East on T side S 32

3-15 to small run N

40 - set $\frac{1}{4}$ S Port

Bush 6 h N 45 W 21 L

W 5 " " S 55 E 7 L

40-90 to 30 line tree 12 h

68 - to run 12 h over N W Ind. Camp

90 - set Port corner S 32 & 33 T. R. 5

30. 30 h N 20 W 12 L

Bush 6 " " South 13 L

good land Bush poplar & Oak

East between T₂ & R₅ on Side S33

12

40 - set $\frac{1}{4}$ S Post Elm 10 in dr. S30 E 23 L
Hickory 6 or 70 W 14 L

42.50 to line W Ash 40 in

80 - set Post corner S33 & 34

Buck 15 in dr. N 45 W 36 L

Hickory 4 in dr. S 45 E 6 links

good Land Buck Poplar Ash & Oak

East on Side S34

" 85 to line Elm 10 in - 11.35 to run small creek

40 - set $\frac{1}{4}$ S Post Sug. y Ind. N 45 W 28 L
W Ash 10 in S 10 E 28 L

52.50 to run small SW

80 - set Post corner S34 & 35

Buck 40 in dr. N 45 E 18 L

Sug. 10 in dr. South 20 L

excellent Land similar Buck
Poplar Walnut &c

East on Side S35

47 to line Lynn 12 in

12 - to run small creek

19 30 - dr - dr -

22.50 - dr - dr -

40 - set $\frac{1}{4}$ S Post Buck 7 in dr. S 15 E 7 links
dr 7 in N 45 W 28 L

47.07 to run small creek

80 - set Post corner S 35° 36'

14

BC Oak 18 in. d. S 45° W 40 links

sq. of in. d. S 80° E 28 links

very good Land timber sq. Bush
& poplar

East on S side S 36'

31 50 to run 10 links S W

40 - set $\frac{1}{4}$ Post B Walnut 15 L S 20° W
21 links Bush 18 in S 30° E 31 L

80 - set Post S & E corner T 2. S in R 5 E
& S W corner T 2 S in R 6 E & S E corner
T 3 S in R 5 E & S W of T 3 in R 6
BC 15 in S 80° E 38 L
WO 12 in S 108° E 46 L

first $\frac{3}{4}$ good the rest barren knolls
timber Oak poplar & B. Walnut

East between T 2 & 3 in R 6

40 - set $\frac{1}{4}$ Post Bush 8 in d. S W
Hick 8 in d. S W

80 - set Post corner S 31° 32' in T 2 R 6
WO 10 in S 22° W 15 L

BC 18 in S 20° E 12 L 15 in S W
mainly barren knolls

15 East on Side S 32

29.50 to run 12 link South

40.00 set $\frac{1}{4}$ S Port

gun 9 in W. S 10 W 4 L

BO 12 in W. S 11 E 15 L

80 -- set Port corner S 32 & 33

BO 20 in S 45 E 7 L

WO 12 in S 20 W 33 L

near Land Oak timber

East on Side S 33

40 set $\frac{1}{4}$ S O WO 9 in North 12

WO - 8 in South 9

80 -- set Port corner S 33 & 34

BO 13 in S 20 W 30 L

WO 5 in South 12 L

near home Oak

East on Side S 34

28 -- to run 10 L S

38 -- " do - 12 L S

40 -- set $\frac{1}{4}$ S O Bush 12 in W 15 W 16 L

do 3 " " 45 E 16 L

80 -- set Port corner S 34 & 35

Bush 13 in W. S 20 W 15 L

do - 4 " " 45 W 11

good Bush

on Side 35

16

20 -

to run 50 links South

40 -

Set $\frac{1}{4}$ S O.

Bush 15 h. d. S 60 E 17

Bushy 12 h. d. S 50 W 42

80 -

set Port corner S 35 E 6

Bush 7 h. d. S 10 W 14 L

d. 1 h. d. S 5 W 28 L

Bush Pottery

Side 36

3.00

to line gum In

Set $\frac{1}{4}$ S O.

Bush 40 h. d. S 30 W 14 L

d. 1 h. d. S 5 W 14 L

45.00

to the line of Clark's Grant

set Port from which a

Bush 18 h. d. North 23 Links

d. 8 h. d. S 2 E 10 Links

1790 In the City of New York
I the undersigned Clerk of the
Court of Sessions for the City
of New York do hereby certify
that the within and foregoing
is a true and correct copy
of the original of the within
and foregoing as the same
now lies on file in the
Clerk's Office of the
Court of Sessions for the
City of New York.

